Laminex[®] FormWrap Doors & Panels Order Form

			If this is order is for re-mak	e panels (tick):
Branch:			Customer Order/Peterses	Number
			Customer Order/Reference	Number:
Customer:			Order # : C	of:
Delivery Address:			If addition to previous order	(tick):
Suburb:	State:	P/Code:	Date Ordered: /	/
Contact Name:			Date Required: /	/
Phone:			Laminex Custor	ner Service Centre
Fax:			Phone: 132 136	Fax: 1300 661 100

A new form must be completed for each different profile and colour (all doors and panels are 18mm thick).

Door Profile _____

Colour_____

Outer Edge Profile _____

Please note: outer edge profile will be applied to entire order, unless otherwise specified.

Finish ____

I have read and accept the Terms & Conditions of Supply

Doors & Drawers

				Squa	Square Edge Override		ъ с	Drawer	<u> </u>	or htre	Fing	gerPull	locat	ion	Classic	
	Qty	Height (mm)	Width (mm)	L	R	т	в	Drawer Group No.	Set or Bank (S or B)	Double Sided	Centre Stripe or Off Centre	L	R	т	в	Panel Override
1									S B							
2									S B							
3									S B							
4									S B							
5									S B							
6									S B							
7									S B							
8									S B							
9									S B							
10									S B							
11									S B							
12									S B							
13									S B							
14									S B							
15									S B							
16									S B							
17									S B							
18									S B							
19									S B							
20									S B							

Doors & Drawers


				Squa	re Edg	ge Ove	erride	20	Drawer	u_	tre	Fing	gerPull	locat	ion	Classic
	Qty	Height (mm)	Width (mm)	L	R	т	в	Drawer Group No.	Set or Bank (S or B)	Double Sided	Centre Stripe or Off Centre	L	R	т	в	Panel Override
21									S B							
22									S B							
23									S B							
24									S B							
25									S B							
26	İ								S B							
27									S B						ĺ	
28									S B						ĺ	
29									S B							
30									S B							
31									S B							
32									S B							
33									S B							
34									S B							
35									S B							
36									S B							
37									S B							
38									S B							
39									S B							
40									S B							
41									S B							
42									S B							
43									S B							
44									S B							
45									S B							
46									S B							
47									S B							
48									S B							
49									S B							
50									S B							

X Edging between Drawer Set

Square edge (default)

Match to outer edge profile

Drawer Set Example (Figure 1)



Drawer Bank Example (Figure 2)


For Drawer Banks a surcharge applies per group. Refer to 'Easy Reference guide' for comprehensive details.


Note: Please note dimension constraints for selected profiles. Where x appears, if not specified, Between-Drawer-Edging will be supplied as Square edge. 'Match to outer edge profile' not available for drawer banks.

For reverse bevelled or reverse finger pull drawer set options only, please order as individual panels. No drawer set/banks available.

Glazed Frames

	0	Height	Width	Sque	are Edg	ge Ove	rride	
	Qty	(mm)	(mm)	L	R	Т	В	No. of Panes
1								
2								
3								
4								
5								
6								
7								
8								
9								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
24								
25								





Single Pane

2 Pane




6 Pane

4 Pane

Cost per panel is a replication of its equivalent 'Door' PLUS 1 x surcharge, regardless of the number of Panes chosen.

Appliance Frames


Wall	Oven	Wall Oven/ Microwave	Microwave	Appliances
A				
В				
С				
D				
E				
F				
G				
н				




Note: External edges for all frames are manufactured as per edge profile selected on page 1. Internal edges on Glazed Frames match the door profile selected on page 1. Top, bottom, left and right rail minimum dimension of 60mm. Centre rail minimum dimension of 60mm. Glass Panel for Glazed Frames is not included. All appliance frames are manufactured with square internal edges. Appliance Frame minimum dimensions are 60mm. A Frame surcharge applies. Please ensure oven exhaust duct is correctly fitted to direct hot air away from doors and panels. Refer to the Technical Data Sheet for more details.

Vertical: Pantry Doors and End Panels

Tall Pane Double Pro			nel 1 Im		Pan mi				Pan m				Pane mr					nel 5 Im				nel 6 Im	
Profile Requ	ired	Mat	Classic ch to Door		Mata	Clo ch to [assic Door		Mate	Clo ch to [issic Door		Matc		ssic)oor		Mat	Cle ch to	assic Door		Mat	Cl ch to	assic Door
	QTY																						
	А																						
	В																						
Note: Match to door	с																						
means match to Door Profile	D																						
selection on Page 1.	E																						
For Classic disregard C to I	F																						
	G																						
	н																						
	I																						
Square Edge O	verride	T B	L R	Т	В	L	R	Т	В	L	R	Т	В	L	R	Т	В	L	R	Т	В	L	R
Double Sid	ed																						
Return Par	nel	Туре	Length	Ту	pe	Len	gth	Ту	pe	Len	gth	Тур	be	Leng	gth	Ту	pe	Len	ngth	Ту	/pe	Ler	gth






G will always default to 60mm unless otherwise specified.

•

Return Wrap Panels


(A) RP18mm 1 side
length
[]18
(B) RP18mm 2 sides
(C) RP36mm 1 side
36
(D) RP36mm 2 sides

(E)	RP36mm	+	RP18mm
		Г	





 \geq




E will always default to 60mm unless otherwise specified

Tall or Short F Single Prof			Pan m	nel 1 m				iel 2 m			Pan m				Pan m	el 4 m			Pan m				Pan m		
Profile Requ	ired		Mat	Clo ch to I	assic Door		Mat	Clo ch to l	assic Door		Mat	Clc ch to [issic Door		Mat	Clc ch to [issic Door		Mat	Clo ch to l	assic Door		Mat	Clas ch to D	
	QTY																								
	А																								
Note: Match to door	В																								
means match to Door Profile	С																								
selection on Page 1.	D																								
For Classic disregard C to I	E																								
	F																								
	G																								
Square Edge O	verride	Т	В	L	R	Т	В	L	R	Τ	В	L	R	Τ	В	L	R	Τ	В	L	R	Т	В	L	R
Double Sid																									_
		Tv	ре	Len	ath	Т	ре	Len	ath	Tv	ре	Len	ath	Tv	ре	Len	ath	Ту	n e	Len	ath	Ту		Leng	th
Return Par		''y	he	Len	gui	'''	he	Len	gui	'y	he	Len	gui	'y		Len	gui	'y	he	Len	gui	19	pe -	Leng	

Barback and Horizontal Panels

	Profiled Panel		Par m					iel 2 m			Pan m	el 3 m	
	QTY												
	No. of Face Patterns												
	А												
	В												
l lec	С												
Per Panel	D												
	E												
	F												
	G												
	Override Outer Edge	Т	в	L	R	т	В	L	R	Т	В	L	R
	Square												




Bar backs: Please write dimensions requirements in table provided. Be sure to complete measurements A-G. Example drawing of a 4 face pattern shown above. **Internal stiles** (G dimension) must always be equal.


Please note that maximum barback and horizontal panels dimensions are 3050mm (w) x 1200mm (h).

Accessory	Length	QTY
Capping Mould	3050mm	
Recessed Rail 'U' Shape (25mm width)	2400mm	
Recessed Rail 'L' Shape (25mm width)	2400mm	
Heat Deflector - Straight		
Heat Deflector - 'L' Shape		
Additional Foil–Lineal metres (1400mm width)	LM	

Recessed Rail 'U' Shape



Recessed Rail 'L' Shape



To ensure this order is correctly made, no incomplete order forms or part orders will be accepted. Please complete all details including order number and your approval.



Laminex is marketed, distributed and manufactured by The Laminex Group. The Laminex Group. A division of Laminex Group Pty Limited ABN 98 004 093 092. Laminex®, FormWrap Doors.

Cost Estimate

Subto	otal
Product	Total
Doors	
Drawers	
Glazed Frames	
Appliance Frames	
Panels	
Barbacks	
Accessories	
TOTAL	

Totals	
List Price (ex GST)	
Your Discount (%)	
Your Price (ex GST)	
ReturnWrap Surcharge	
Frame Surcharge	
Drawer Bank Surcharge	
Surcharge Total	
Order Total (ex GST)	
Order Total (inc GST)	